

## SHERIFF DUSTIN D. HEUERMAN CHAMPAIGN COUNTY SHERIFF'S OFFICE

204 E. Main Street Urbana, Illinois 61801-2702 (217) 384-1204

Coordinator John Dwyer Champaign Co EMA 1905 E. Main St. Urbana, Illinois 61802 (217)-384-3826

Champaign County Local Emergency Planning Committee (LEPC)
Meeting Minutes

June 25<sup>th</sup>, 2024 10:30 AM

Location: ILEAS Boardroom 1701 E. Main St., Urbana, IL 61802 Time: 10:30 AM

- I. Welcome and Introductions The meeting was called to order at 10:30 AM by John Riegel.
- II. Public Comment There was no public comment, as there was no one from the public at the meeting.
- III. Review and approval of minutes from the February 27<sup>th</sup>, 2024 Brian Ball motioned to approve the previous minutes, Sherry Wooten seconded that motion, the minutes were approved by all.
- IV. Local incidents, training, exercises, and upcoming events discussion.
  - 1. Hazardous Materials Emergency Preparedness (HMEP) Grant 22-25 discussion John Riegel attended online training for CAMEO in March 2024, and a lot was learned from the class. The updated CAMEO database was sent out to all the Champaign County Fire Chiefs in early June on a kml file in a Google Earth Pro map of Champaign County. Dshawn Herrera, the Dangerous Goods and Emergency South officer for Canadian Northern railroad provided a tour of the Champaign railyard in late May. Champaign Fire, Eastern Prairie Fire, Savoy Fire, Champaign County Sheriff's Office, Champaign Police and CCEMA attended the tour. John Dwyer and Brett Johnson will be attending the Emergency

Management Agencies – Leadership & Management Course for Rail Incidents in Colorado in Late

August and John Dwyer will update the grant to include funds to support that course.

Local/National Incidents – Brian Ball reported that the Bethany water treatment facility had a cylinder of

chlorine gas leaking, it was dealt with by putting it into a large tub of water. Nationally, Baltimore bridge

was brought up as work continues on the removal of bridge and hazards still in the water.

V. Open Discussion and Wrap up –National Weather Service is indicating that we will have an extremely hot

summer, like what we have already experienced. Brian Ball said the metro bomb squad is finalizing an

intergovernmental agreement with Champaign Fire's hazmat team to have a dual response on call outs for the

bomb squad. They are also looking into grant funding for equipment and supplies. Heather Cohover asked if

there was any HAZWOPER training available in the aera. Heather also mentioned that Kraft/Heinz will

include law enforcement agencies, like the Sheriff's Office, in drills in the future. Randy Fouts and Brian

Ball said that Champaign Fire would get a tour of the hydrogen facility at MTD, after already having a tour of

a hydrogen bus. Brian Shanks, Manager Hazardous Materials Safety & Environmental Department for

Norfolk Southern, stated that they are hosting some railroad trainings at Decatur, IL on July 9th-11th and

Alton, IL on July 23rd.

VI. Nominations and selection of LEPC Vice Chair and Secretary- There was a nomination from the floor, Sherry

Wooten, nominated John Riegel for the position of LEPC Vice Chair. Brian Ball seconded that motion. John

Riegel accepted the nomination and was approved by all in attendance. There was a request for nomination

for the LEPC Secretary, Brian Ball nominated Sherry Wooten, but she declined the nomination. No one else

was nominated or volunteered for the position and therefore it will remain an open position at this time.

VII. Adjournment-Next Meeting—September 24<sup>th</sup>, 2024 – Randy Fouts motioned to adjourn the meeting, Phil

Edwards seconded that motion, the adjournment was approved by all.

Attendees:

Randy Fouts-CUMTD
John Riegel-CCEMA
Sarah Michaels-CUPHD
Brian Ball-Champaign Fire Dept
Brett Johnson-Champaign Fire Dept
Chana Ray-Douglas County EMA
Phil Edwards-ILAWC

Brian Shanks-Norfolk Southern Heather Cohover-Kraft Heinz Billy Hough-UNFI Jenny Nargelenas-UNFI Sherry Wooten-UIEM Patric Cosby-Coherent/EPI Works Raymond Mucha-CUPHD